

African Swine Fever Virus (ASFV) is a highly contagious DNA virus that causes high mortality in domestic pigs and is a major threat to the pig industry. It is transmitted through direct contact with an infected pig, contaminated feed or through the bite of an infected tick.

ASFV isolates can vary in virulence from highly pathogenic strains that cause acute disease and high mortality (90-100%) to low–virulence isolates that present similar but less intense symptoms making the disease chronic and difficult to diagnose. There is no vaccine or treatment.

The genome of ASFV is very large and complex, consisting over of over 150 genes with variability in expression, leading to 22 different genotypes of ASFV. Several immunogenic viral antigens have been identified, including p30 which is one of the most antigenic structural proteins involved in ASFV entry and is expressed very early on in infection (2-4 hours post-infection) (*Zhang et. al., 2017*). Research has shown that with low-virulence strains, virus shedding and antibodies to the virus can persist for months after infection.

ASFV can be diagnosed by virus isolation, ELISA, immunofluorescence or PCR. Clinical samples used for testing are lymph nodes, kidneys, spleen, lung, blood and serum. The simultaneous detection of both antigens and antibodies is recommended in order to identify the presence of potentially chronic infections that continue to spread the disease.


Zhang, J. et al. (2017). Roles of African Swine Fever Virus structural proteins in viral infection. J. Vet Res., 61, 135-143.

Monoclonal Antibodies to ASFV

MAb to ASFV p30

Detects the early-expressed p30 structural antigen. Suitable for ELISA, IFA, IHC, IP and WB.

Cat# C01881M Cat# C01882M



Electron microscopy image of the extracellular African Swine Virus particle. The ASFV virion is composed of different concentric layers: the external envelope (red), the viral capsid (green), the inner envelope (yellow), the core shell (blue), and the nucleoid (purple).

Zhang, J. et al., (2017)



www.MeridianLifeScience.com

Molecular reagents

| PRODUCT | CATALOG # | DESCRIPTION | | | |
|-----------------------------|-----------|---|--|--|--|
| ENZYMES | | | | | |
| Low DNA Taq HS 5 U/µL | MDX009 | Heat-activated, thermostable DNA polymerase with low residual DNA content. | | | |
| Low DNA Taq HS 10 U/µL | MDX010 | Ideal for multiplex assays involving amplification of bacterial and fungal DNA. | | | |
| OPTMIZED MASTER MIXES | | | | | |
| Low DNA qPCR Mix | MDX030 | Designed for multiplex assays detecting microbial or fungal DNA. Incorporates a heat-activated DNA polymerase with low residual DNA content. | | | |
| Fast qPCR Mix | MDX020 | Ideal for multiplex assays requiring sensitive detection of DNA targets in inhibitor-rich samples. Contains an antibody-mediated hot-start polymerase. | | | |
| Inhibitor-Tolerant qPCR Mix | MDX013 | Designed for amplification direct from crude lysates or inhibitor-rich samples such as urine, cerebral spinal fluid (CSF), blood as well as plants. Contains an antibody-mediated hot-start polymerase. | | | |
| COMPANION REAGENTS | | | | | |
| Tissue Extract-PCR Buffers | MDX004 | Lysis and neutralization buffer optimized for use with Taq HS DNA. | | | |
| Fast qPCR Buffer, 4x | MDX033 | Optimized for use with Taq HS DNA Polymerase (MDX008). | | | |
| 1-Step RT-qPCR Buffer, 4x | MDX034 | Optimized for use with <i>Taq HS DNA Polymerase (MDX008)</i> and <i>RNase-Tolerant MMLV-RT (MDX043)</i> . | | | |
| RNase Inhibitor | MDX056 | Inhibits a broad spectrum of eukaryotic RNases, including RNases A, B and C to control for contaminants in RT-PCR assays. | | | |
| Taq HS Antibody | MDX014 | A mix of anti-Taq antibodies designed to inhibit Taq DNA polymerase activity at room temperature. For use in hot-start PCR. | | | |

SEQUENCING GRADE dNTPs

Ready-to-use sequencing grade dNTPs available individually, as sets, or pre-blended dNTP mixes. Ultra-pure (>99% by HPLC) dNTPs supplied as lithium salts. Free of PCR inhibitors, DNase and RNase. For more information visit www.MeridianLifeScience.com.

Product Reference Chart

| Product Name | Cat# | Master Mix | Hot-Start | DNA Detection | RNA Detection | Multiplex Reactions | High-Sensitivity (Low copy target) | Inhibitor-Rich Samples | Room-Temperature Assay Set-Up |
|--------------------------------|--------------------|---------------|-----------|------------------|------------------|------------------------|---------------------------------------|---------------------------|----------------------------------|
| Taq DNA Polymerase | MDX001 | | No | \checkmark | | • | | | |
| Taq DNA HS Polymerase | MDX008 | | Antibody | \checkmark | | •• | •• | • | |
| Low DNA Taq HS | MDX009 & MDX010 | | Chemical | \checkmark | | •• | | | •• |
| Fast qPCR Mix | MDX020 | \checkmark | Antibody | \checkmark | | •• | ٠ | | |
| Inhibitor-Tolerant qPCR Mix | MDX013 | \checkmark | Antibody | \checkmark | | •• | | •• | |
| Low DNA qPCR Mix | MDX030 | \checkmark | Antibody | \checkmark | | •• | •• | | •• |

• Suitable | •• Recommended

Ordering information:

USA

E: info@meridianlifescience.com Toll free: +1 800 327 6299

UK

E: info.uk@meridianlifescience.com Tel: +44 (0)20 8830 5300

Germany

E: info.de@meridianlifescience.com Tel: +49 (0)3371 60222 00 Australia

E: info.au@meridianlifescience.com

Tel: +61 (0)2 9209 4180

美国迈迪安生命科学公司

电子邮件: vivian.li@meridianlifescience.com 电话:+86-159-1103-0750



Connect with us: (

www.MeridianLifeScience.com

ISO 13485 Certified